

This safety data sheet has been prepared in accordance with the requirements of EC Directives 1999/45/EC and 2001/58/EC and provides information relating to the safe handling and use of the product.

1. PRODUCT AND COMPANY INFORMATION

| | |
|-------------------------------|--|
| Product Code | 0209016 |
| Trade Name | 5362 / 5366 Autojoint Clair |
| Manufacturer/Supplier | Henkel Loctite Adhesives Ltd. |
| Address | Watchmead, Welwyn Garden City, Herts., AL71JB. UK |
| Phone Number | 01 707 358800 |
| Fax Number | 01 707 358900 |
| Emergency Phone Number | +353-1-4599301/+353-87-2629625/+353-1-4046444 |

2. COMPOSITION / INFORMATION ON INGREDIENTS

| | |
|---------------|--|
| Nature | Acetoxy curing silicone. Mixtures of polydimethylsiloxanes, organic fillers and crosslinkers. |
|---------------|--|

Hazardous Components in Product for EC

| Component Name | EINECS | CAS | Concentration | R Phrases | Classification |
|--------------------------|---------------|------------|----------------------|------------------|-----------------------|
| Methyl triacetoxy silane | 224-221-9 | 4253-34-3 | 1.00 - 5.00 | R14, R34 | C |

3. HAZARD IDENTIFICATION

This product is not classified as hazardous.

Acetoxy curing silicones release acetic acid vapours in contact with moisture. Acetic acid is corrosive and irritating to the eyes and respiratory system.

4. FIRST AID MEASURES

First Aid - Inhalation

Remove affected person to fresh air.

Volatile by-product released during polymerisation may cause irritation to respiratory system.

First Aid - Skin

Wash skin with plenty of soap and water.

First Aid - Eyes

Flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Volatile by-product released during polymerisation may cause irritation to eyes.

First Aid - Ingestion

Wash out mouth with water.

Give plenty of water to drink. Do not induce vomiting. Obtain medical attention.

5. FIRE FIGHTING MEASURES

No unusual fire hazards.

Non flammable product (flash point is greater than 100°C (CC)).

If product is involved in fire extinguish with dry powder, foam or carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Ventilate area.

6. ACCIDENTAL RELEASE MEASURES

For large spills absorb onto inert absorbent material and place in sealed container for disposal.
For small spills wipe up with paper towel and place in container for disposal.
Silicones release by products in contact with moisture which are irritating to eyes and respiratory system.

7. HANDLING AND STORAGE

Handling

No special handling requirements.
Avoid contact with skin and eyes.
Adequate ventilation is recommended to remove traces of odour.

Storage

No special storage conditions required.
Storage temperature range 1°C to 25°C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Good industrial hygiene practices should be observed.
In circumstances where there is a potential for prolonged or repeated skin contact, the use of disposable gloves (polyethylene, natural rubber or equivalent ester-resistant material) is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---------------------|
| Physical State | Paste. |
| Colour | Clear |
| Odour | Acetic. |
| pH | Not applicable. |
| Boiling Range/Point (°C) | --- |
| Flash Point (CC) (°C) | > 150 |
| Specific Gravity | 1.04 at 20 °C. |
| Solubility in Water (kg/m³) | Partially soluble. |
| Solubility in Acetone | Insoluble |
| Vapour Pressure (mmHg @25°C) | <0.1 mmHg at 20 °C. |
| Explosion Limits (%) | N/A |

10. STABILITY AND REACTIVITY

The product is relatively stable under normal conditions of use.
Polymerisation will occur in the presence of moisture.

11. TOXICOLOGICAL INFORMATION

Inhalation

Acetic acid released during the polymerisation of acetoxycuring RTV silicones is harmful to the respiratory system.

Skin

This Product is of low toxicity and is not easily absorbed through the skin.
Acetic acid released during polymerisation of acetoxycuring RTV silicones is irritating to the skin.

11. TOXICOLOGICAL INFORMATION

Eyes

Not considered to be an eye irritant.

Acetic acid released during polymerisation of acetoxo curing RTV silicones is irritating to the eyes.

Ingestion

This product is considered to be of low toxicity having an acute oral LD50 (rat) >5000mg/kg by analogy to other similar products.

12. ECOLOGICAL INFORMATION

Keep away from drains and open waters. Does not contain substances listed on the Montreal protocol. Cured Loctite products are typical polymers and do not pose any immediate environmental hazards.

Biological and Chemical Oxygen Demands (BOD and COD) of cured Loctite products are insignificant.

In the cured state contribution of this product to Environmental Hazards is insignificant in comparison to articles in which it is used. Precautions required with respect to Environmental Hazards of articles in which this product is used should be considered.

13. DISPOSAL CONSIDERATIONS

After use, tubes, cartons and bottles containing residual product should be disposed of as "chemically contaminated waste" in an authorised legal land fill site or incinerated. Incinerate or bury in legal landfill. Dispose of in accordance with local and national regulations. Contribution of this product to waste is very insignificant in comparison to article in which it is used. Regulations governing disposal of individual articles apply.

14. TRANSPORT INFORMATION

| | |
|------------------------------|-----------------|
| UN Number | Not classified. |
| Air (IATA) | Not classified. |
| Sea (IMO) | Not classified. |
| Road (ADR)/Rail (RID) | Not classified. |

15. REGULATORY INFORMATION

| | |
|------------------------------|--|
| Contains | N/A |
| Labelling Information | None |
| R phrases | None. |
| S phrases | None. |
| Voluntary Labelling | Volatile by-products are released during polymerisation. See safety data sheet for further information. |

16. OTHER INFORMATION

MSDS data revised 9 January 2003

Hazardous Components in Product for EC**Component Name**

Methyl triacetoxo silane

R14

R34

R14 Reacts violently with water.

R34 Causes burns.

R Phrases

R14, R34



Loctite Corporation

Environmental Health & Safety Affairs
Health & Regulatory Affairs - Europe

SAFETY DATA SHEET

5362 / 5366 Autojoint Clair
0209016 6.00 IE EA 09.01.2003 MSDS_IE

Component Name

R Phrases

Prepared by:

Dr. Prabhu Kulkarni FICI., FIOSH., MBIRA.,
Senior HRA Specialist.
Health & Regulatory Affairs - Europe

Further Information may be obtained from:-

Loctite Corporation,
Health and Regulatory Affairs - Europe,
Tallaght Business Park,
Whitestown, Dublin 24,
Ireland.

Tel: +353-1-4046585.

Fax: +353-1-4510806.

Supersedes Safety Data Sheet No: 0209016 dated 8/1/2002

This safety data sheet was prepared in accordance with Commission Directive 2001/59/EC adapting to technical progress for the 28th time Council Directive 67/548/EEC and Commission Directive 1999/45/EC. and Commission Directive 1999/45/EC.

The information in this safety data sheet was obtained from reputable sources and to the best of our knowledge is accurate and current at the mentioned date. Neither Loctite nor its subsidiary companies accept any liability arising out of the use of the information provided here or the use, application or processing of the product(s) described herein. Attention of users is drawn to the possible hazards from improper use of the product(s).